




AP. C. IBAÑEZ DEL CAMPO PUNTA ARENAS - CHILE

SCCI IAC 17
RNP Z Rwy 25 (AR)

ACC PUNTA ARENAS Punta Arenas Center	123.9/128.1	TORRE PUNTA ARENAS Punta Arenas Tower	118.7	CONTROL TERRESTRE Ground Control	121.9
RNP	FINAL APCH CRS 256°	MNM ALT CI048 1700'	DA/H ver mínimos DA/H refer to minimums	AD Elev. THR 25 Elev. 139'	
APCH FRUSTRADA: Ascenso 3000' directo DUBLU, ingrese a HLDG 076° izquierda o según autorización ATC. Missed Apch: Climb to 3000' direct to DUBLU, enter on HLDG 076° left or according to ATC clearance.					



CATEGORÍA	DIRECTO RWY 25 Straight in RWY 25				RNP AR RWY 25 SCCI: Para sistemas Baro VNAV no compensados PROC NA BLW -10°C ó ABV 44°C MNM ALTN RNP 0.30: VER PAG GEN 2.19 See pag 2.19 RQR AUTORIZACIÓN ESPECIAL PARA ACFT Y CREW SPECIAL ACFT AND AIRCREW AUTHORIZATION RQRD	
	RNP 0.15 DA 370' (258')		RNP 0.3 DA 420' (308')			
	ALSF-1	WO ALSF-1	ALSF-1	WO ALSF-1		
A					MNM ALTN RNP 0.30: VER PAG GEN 2.19 See pag 2.19 RQR AUTORIZACIÓN ESPECIAL PARA ACFT Y CREW SPECIAL ACFT AND AIRCREW AUTHORIZATION RQRD	
B	0.8 Km	1.6 Km	0.8 Km	1.6 Km		
C						
D						
Veloc. Terrestre Kts		80	100	120	140	160
Angulo DES 3.0° FPM		425'	531'	637'	743'	849'
MAPt en RW25						

CAMBIO: TR / VAR
Change: TR / VAR

DGAC AMDT 98

28 NOVIEMBRE 2024

DASA / SECCION AS-MAP