



ACC PUNTA ARENAS Punta Arenas Center	123.9/128.1	TORRE PUNTA ARENAS Punta Arenas Tower	118.7	CONTROL TERRESTRE Ground Control	121.9
---	-------------	--	-------	-------------------------------------	-------

<b>RNAV</b>	FINAL APCH CRS <b>075°</b>	MNM ALT UROXA <b>1400'</b>	LNAV/VNAV DA(H) <b>500'(361')</b>	AD Elev. <b>139'</b>	THR 07 Elev. <b>139'</b>
-------------	-------------------------------	-------------------------------	--------------------------------------	-------------------------	-----------------------------



APCH FRUSTRADA: Ascenso 3000' directo ISAPU, ingrese a HLDG 255° derecho o según autorización ATC.

Missed Apch: Climb to 3000' direct to ISAPU, enter on HLDG 255° right or according to ATC clearance.



Categoría	DIRECTO RWY 07 <i>Straight in RWY 07</i>		CIRCULANDO <i>Circling</i>	ALTN <i>Alternate Minimums</i>
	LNAV/VNAV DA <b>500'(361')</b>	LNAV MDA <b>700'(561')</b>		
A	1.6 Km	1.6 Km	700' (561')	VER PAG. GEN 2.19 SEE PAGE GEN 2.19
B			1.6 Km	
C	2.0 Km	2.8 Km	800' (661')	
D			960' (821')	

-Requiere aprobación RNP APCH. -RNP APCH approval RQRD.						Para sistemas Baro VNAV no compensados proc NA bajo -10°C o sobre 44°C. For uncompensated Baro VNAV systems procedure NA below -10°C or above 44°C.					
Veloc. Terrestre Kts	80	100	120	140	160						
Angulo DES 3,0° FPM	425'	531'	637'	743'	849'						
MAPt en RW07											