

AP. C. IBAÑEZ DEL CAMPO  
**PUNTA ARENAS - CHILE**


SCCIAC 14  
**RNAV (GNSS) Y Rwy 30**

ACC PUNTA ARENAS Punta Arenas Center	123.9/128.1	TORRE PUNTA ARENAS Punta Arenas Tower	118.7	CONTROL TERRESTRE Ground Control	121.9
-----------------------------------------	-------------	------------------------------------------	-------	-------------------------------------	-------

<b>RNAV</b>	FINAL APCH CRS <b>305°</b>	MNM ALT SALPO <b>1400'</b>	LNAV/VNAV DA(H) <b>370'(258')</b>	AD Elev. 139' THR 30 Elev. <b>112'</b>	
-------------	-------------------------------	-------------------------------	--------------------------------------	-------------------------------------------------	--

APCH FRUSTRADA: Ascenso 600' posterior directo a USORI , ingrese en HLDG 125° derecha o según autorización ATC.

Missed Apch: Climb to 600' then direct to USORI, enter on HLDG 125° derecha or according to ATC clearance.



CATEGORIA	DIRECTO RWY 30 Straight in RWY 30				CIRCULANDO Circling	ALTN Alternate Minimums
	LNAV/VNAV DA <b>370'(258')</b>		LNAV MDA <b>420'(308')</b>			
	SSALF	WO SSALF	SSALF	WO SSALF		
A					640' (501')	1.6 Km
B	1.2 Km	1.6 Km	1.2 Km	1.6 Km	800' (661')	2.8 Km
C					960' (821')	4.4 Km
D						

-Requiere aprobación RNP APCH. -RNP APCH approval RQRD.					Para sistemas Baro VNAV no compensados proc NA bajo -10°C o sobre 44°C. For uncompensated Baro VNAV systems procedure NA below -10°C or above 44°C.					
Veloc. Terrestre Kts	80	100	120	140	160					
Angulo DES 3.0° FPM	425'	531'	637'	743'	849'					
MAPt en RW30										

DASA - SECCION AAS-MAP