

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 100										(1)	
✧	NAS VOR/DME			53°0'15" S 70°51'19" W							
RNAV 5	138°	315°	243	FL 245	5	↓	↑		ACCN APP SCGZ	(2)	
				FL 105							
✧ 	HORNO			56°28'36" S 67°16'0" W							
RNAV 5	135°	312°	207	FL 245	5	↓	↑		ACCN		
				FL 105							
✧ 	DRAKE			59°18'28" S 63°35'41" W							
RNAV 5	132°	310°	144	FL 245	5	↓	↑		ACCN		
				FL 105							
✧	KRILL			61°12'22" S 60°41'11" W							
RNAV 5	130°	309°	77	FL 245	5	↓	↑		ACCN		
				FL 105							
✧	IRJ VOR			62°11'27" S 58°58'57" W							

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCGZ WI TMA SCGZ
CHG:	IRJ VOR

Designador de ruta // Route Designator											
✧ / ✧		WAYPOINT			COORDENADAS						
		Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 101											(1)
✧	LOKOL			33°40'0" S 75°0'0" W							
RNAV 5	069°	250°	105	FL 245	5	↓	↑		ACCO		
				FL 115							
✧	ITANO			33°9'12" S 73°0'0" W							
RNAV 5	070°	250°	11	FL 245	5	↓	↑		ACCO		
				FL 115							
✧	NILTA			33°5'55" S 72°47'47" W							
RNAV 5	070°	250°	43	FL 245	5	↓	↑		ACCO		
				FL 115							
✧	EGULU			32°52'35" S 71°59'13" W							
RNAV 5	070°	250°	26	FL 245	5	↓	↑		ACCS		
				FL 115							
✧	VTN VOR/DME			32°44'19" S 71°29'46" W							
RNAV 5	108°	287°	16	FL 245	5	↓	↑	SCVM	ACCS		
				8500 FT							
✧	TENUT			32°49'19" S 71°11'33" W							
RNAV 5	107°	287°	9	FL 245	5	↓	↑	SCVM	ACCS		
				8500 FT							
✧	OLMUE			32°52'8" S 71°1'11" W							
RNAV 5	107°	287°	10	FL 245	5	↓	↑	SCEL	ACCS		
				8500 FT							
✧	TBN VOR/DME			32°55'6" S 70°50'14" W							
RMK:	(1) GNSS o INS/IRS RQRD										
CHG:	Ninguno / None										

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 102										(1)	
✧	MON VOR/DME			41°25'45" S 73°5'31" W							
RNAV 5	161°		60	FL 245	5	↓		SCTE	ACCM		
				4500 FT							
✧	GUTIN			42°24'24" S 72°48'45" W							
RNAV 5	158°		68	FL 245	5	↓			ACCM		
				FL 105							
✧	DOTGU			43°30'53" S 72°28'23" W							
RNAV 5	159°		108	FL 245	5	↓			ACCM	(2)	
				FL 105					APP SCBA		
✧	UDОВI			45°15'40" S 71°54'38" W							
RNAV 5	159°		40	FL 245	5	↓			APP SCBA		
				FL 105							
✧	BAL VOR/DME			45°54'47" S 71°42'45" W							
RNAV 5	218°	038°	35	FL 245	5	↑	↓		APP SCBA		
				FL 165							
✧	SURTA			46°18'19" S 72°19'58" W							
RNAV 5	189°	008°	44	FL 245	5	↓	↑		APP SCBA	(2)	
				FL 165					ACCM		
✧	BETRI			47°0'0" S 72°40'40" W							
RNAV 5	188°	008°	81	FL 245	5	↓	↑		ACCN		
				FL 165							
✧	NIPLA			48°16'15" S 73°20'4" W							
RNAV 5	188°	007°	65	FL 245	5	↓	↑		ACCN		
				FL 165							
✧	SINEL			49°17'26" S 73°53'12" W							

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCBA WI TMA SCBA
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 103											(1)
✧	OPLES			20°34'16" S 70°11'0" W							
RNAV 5	154°	334°	5	FL 245	5	↓	↑	SCDA	ACCI		
				7500 FT							
✧	OSUVO			20°38'31" S 70°8'10" W							
RNAV 5	154°	334°	38	FL 245	5	↓	↑	SCDA	ACCI		
				8500 FT							
✧	AKNUV			21°10'47" S 69°46'32" W							
RNAV 5	154°	334°	44	FL 245	5	↓	↑	SCDA	ACCI		
				8500 FT							
✧	VUREL			21°47'42" S 69°21'34" W							
RNAV 5	154°	334°	50	FL 245	5	↓	↑	SCCF	APP SCFA	(2)	
				14500 FT							
✧	LOA VOR/DME			22°30'7" S 68°52'32" W							
RNAV 5	254°	074°	48	FL 245	5	↑	↓	SCCF	APP SCFA		
				12500 FT							
✧	TATIO			22°48'18" S 69°40'32" W							
RNAV 5	252°	072°	46	FL 245	5	↑	↓		APP SCFA	(3)	
				FL 125							
✧	EKEVI			23°6'33" S 70°26'35" W							
RNAV 5	185°	005°	21	FL 245	5	↓	↑	SCFA	APP SCFA		
				5500 FT							
✧	FAG VOR/DME			23°28'1" S 70°26'52" W							
RMK:	(1) GNSS o INS/IRS RQRD (2) MCL VUREL FL 140 SE (3) MCL EKEVI 8000 FT E										
CHG:	Formato / Layout										

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 104										(1)
✧	UPUSI			33°42'51" S 72°9'32" W						
RNAV 5	191°	010°	127	FL 245	5	↓	↑		ACCS	
				FL 85						
✧	ESIDO			35°46'58" S 72°45'34" W						
RNAV 5	190°	009°	60	FL 245	5	↓	↑	SCIE	APP SCIE	
				8500 FT						
✧	CAR VOR/DME			36°45'20" S 73°3'11" W						
RNAV 5		338°	58	FL 245	5		↑	SCIE	APP SCIE	
				5500 FT						
✧	ANGOL			37°40'30" S 72°42'30" W						
RNAV 5		352°	44	FL 245	5		↑	SCQP	APP SCQP	
				6500 FT						
✧	KIDEM			38°24'22" S 72°40'13" W						
RNAV 5		352°	30	FL 245	5		↑	SCQP	APP SCQP	
				6500 FT						
✧	Ⓜ	NIA VOR/DME			38°54'22" S 72°38'38" W					
RMK:	(1) GNSS o INS/IRS RQRD									
CHG:	Formato / Layout									

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 105										(1)
✧ TOY VOR/DME 30°16'35" S 71°28'25" W										
RNAV 5	190°	009°	50	FL 245	5	↓	↑		ACCS	
				FL 85						
✧ KATOS 31°6'8" S 71°38'1" W										
RNAV 5	189°	009°	34	FL 245	5	↓	↑		ACCS	
				FL 85						
✧ AKPOK 31°40'12" S 71°44'43" W										
RNAV 5	189°	008°	34	FL 245	5	↓	↑		ACCS	
				FL 85						
✧ TOLAS 32°13'18" S 71°51'18" W										
RNAV 5	188°	008°	40	FL 245	5	↓	↑		ACCS	
				FL 85						
✧ EGULU 32°52'35" S 71°59'13" W										
RNAV 5	188°	008°	51	FL 245	5	↓	↑		ACCS	
				FL 85						
✧ UPUSI 33°42'51" S 72°9'32" W										
RNAV 5	188°	006°	128	FL 245	5	↓	↑		ACCS	
				FL 85						
✧ SOSTA 35°49'18" S 72°36'25" W										
RNAV 5	197°	016°	60	FL 245	5	↓	↑	SCIE	APP SCIE	
				4500 FT						
✧ CAR VOR/DME 36°45'20" S 73°3'11" W										
RNAV 5	177°	356°	61	FL 245	5	↓	↑	SCIE	APP SCIE	
				7500 FT						
✧ PANEX 37°45'59" S 73°5'35" W										
RNAV 5	157°		32	FL 245	5	↓		SCQP	APP SCQP	
				6500 FT						
✧ LIXAN 38°16'8" S 72°53'48" W										
RNAV 5	157°		40	FL 245	5	↓		SCQP	APP SCQP	
				6500 FT						
✧ M NIA VOR/DME 38°54'22" S 72°38'38" W										
RMK:		(1) GNSS o INS/IRS RQRD								
CHG:		Formato / Layout								

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMP //ODD	PAR// EVEN				
T 107										(1)	
✧	LINER			33°55'32" S 70°45'8" W							
RNAV 5	200°		51	FL 245	5	↓			ACCS		
				FL 105							
✧	ANDIX			34°43'34" S 71°7'9" W							
RNAV 5	189°		50	FL 245	5	↓			ACCS		
				FL 145							
✧	MUNEP			35°32'40" S 71°19'10" W							
RNAV 5	206°		71	FL 245	5	↓		SCCH	ACCS		
				5500 FT							
✧	CHI VOR/DME			36°35'11" S 72°1'58" W							
RNAV 5	255°	074°	20	FL 245	5	↑	↓	SCCH	ACCS		
				5500 FT							
✧	VUMIT			36°39'13" S 72°26'40" W							
RNAV 5	254°	074°	30	FL 245	5	↑	↓	SCIE	APP SCIE		
				5500 FT							
✧	CAR VOR/DME			36°45'20" S 73°3'11" W							

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

T 112										(1)
✧ M TOY VOR/DME 30°16'35" S 71°28'25" W										
RNAV 5	169°		25	FL 245	5	↓		SCSE	APP SCSE ACCS	(2)
				5500 FT						
✧ PUKEL 30°41'5" S 71°22'41" W										
RNAV 5	169°		67	FL 245	5	↓			ACCS	
				FL 115						
✧ SIRUS 31°46'34" S 71°7'2" W										
RNAV 5	168°		70	FL 245	5	↓			ACCS	
				FL 115						
✧ TBN VOR/DME 32°55'6" S 70°50'14" W										

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCSE MEA-FL175 / ACCS FL180-FL245
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 115											(1)
✧	SUMKO			37°43'3" S 71°52'24" W							
RNAV 5	202°		53	FL 245	5	↓		SCQP	APP SCQP		
				5500 FT							
✧	ITAPO			38°30'0" S 72°22'38" W							
RNAV 5	202°		27	FL 245	5	↓		SCQP	APP SCQP		
				5500 FT							
✧ (M)	NIA VOR/DME			38°54'22" S 72°38'38" W							
RNAV 5	198°	018°	25	FL 245	5	↓	↑	SCQP	APP SCQP		
				5500 FT							
✧	KIBEL			39°17'28" S 72°51'53" W							
RNAV 5	198°	018°	25	FL 245	5	↓	↑	SCVD	APP SCQP		
				5500 FT							
✧	VLD VOR/DME			39°40'16" S 73°5'8" W							
RMK:	(1) GNSS o INS/IRS RQRD										
CHG:	Formato / Layout										

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMP //ODD	PAR// EVEN			
T 118										(1)
✧	TELAG			33°41'0" S 70°56'0" W						
RNAV 5	269°	089°	20	FL 245	5	↑	↓	SCEL	ACCS	
				6500 FT						
✧	KODVO			33°40'52" S 71°20'15" W						
RNAV 5	263°	083°	14	FL 245	5	↑	↓	SCVM	ACCS	
				6500 FT						
✧	NIDMU			33°42'7" S 71°36'44" W						
RNAV 5	267°	086°	27	FL 245	5	↑	↓		ACCS	
				FL 55						
✧	UPUSI			33°42'51" S 72°9'32" W						
RNAV 5	266°	086°	34	FL 245	5	↑	↓		ACCS	
				FL 55						
✧	ESEPA			33°43'34" S 72°50'20" W						
RNAV 5	266°	086°	8	FL 245	5	↑	↓		ACCO	
				FL 55						
✧	OSABO			33°43'42" S 72°59'53" W						
RNAV 5	266°	085°	100	FL 245	5	↑	↓		ACCO	
				FL 55						
✧	RENAB			33°44'20" S 75°0'0" W						
RNAV 5	265°	085°	98	FL 245	5	↑	↓		ACCO	
				FL 55						
✧	GERKI			33°43'4" S 76°57'55" W						
RNAV 5	265°	084°	98	FL 245	5	↑	↓		ACCO	
				FL 55						
✧	OSANI			33°39'57" S 78°55'45" W						

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMP //ODD	PAR// EVEN				
T 121											(1)
✧	ERUKA			39°45'4" S 72°31'27" W							
RNAV 5	188°		74	FL 245	5	↓		SCJO	APP SCQP ACCM	(2)	
				5500 FT							
✧	SARTO			40°56'49" S 72°54'57" W							
RNAV 5	188°		30	FL 245	5	↓		SCTE	ACCM		
				5500 FT							
✧	MON VOR/DME			41°25'45" S 73°5'31" W							
RNAV 5	199°	019°	44	FL 245	5	↓	↑	SCTE	ACCM		
				3500 FT							
✧	ANPIP			42°5'24" S 73°32'23" W							
RNAV 5	199°	018°	17	FL 245	5	↓	↑	SCPQ	ACCM		
				3500 FT							
✧	MPI VOR/DME			42°20'32" S 73°42'49" W							

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCQP WI TMA SCQP
CHG:	Formato / Layout

T 122										(1)
✧	EROLO		34°39'2" S 71°24'28" W							
RNAV 5		315°	33	FL 245	5		↑		ACCS	
				FL 95						
✧	MUPAV		35°3'23" S 70°56'41" W							
RNAV 5	110°	290°	24	FL 245	5	↓	↑		ACCS	
				FL 155						
✧	ANKON		35°12'0" S 70°30'0" W							

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 124											(1)
✧	MPI VOR/DME			42°20'32" S 73°42'49" W							
RNAV 5	116°	296°	26	FL 245	5	↓	↑	SCPQ	ACCM		
				4500 FT							
✧	SASTI			42°35'31" S 73°13'42" W							
RNAV 5	116°	296°	21	FL 245	5	↓	↑		ACCM		
				FL 45							
✧	TEN VOR/DME			42°47'25" S 72°50'14" W							

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

T 125										(1)
✧		TEN VOR/DME		42°47'25" S 72°50'14" W						
RNAV 5	183°	003°	30	FL 245	5	↓	↑		ACCM	
				FL 65						
✧		MUKSO		43°16'49" S 72°58'28" W						
RNAV 5	183°	002°	115	FL 245	5	↓	↑		ACCM	
				FL 65						
✧		ESGOR		45°9'33" S 73°31'21" W						

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

T 126										(1)
✧ MON VOR/DME 41°25'45" S 73°5'31" W										
RNAV 5	164°	344°	61	FL 245	5	↓	↑	SCTE	ACCM	
				4500 FT						
✧ OSARA 42°26'37" S 72°54'11" W										
RNAV 5	164°	344°	21	FL 245	5	↓	↑		ACCM	
				FL 45						
✧ TEN VOR/DME 42°47'25" S 72°50'14" W										

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMP //ODD	PAR// EVEN				
T 127										(1)	
✧	MON VOR/DME			41°25'45" S 73°5'31" W							
RNAV 5		354°	11	FL 245 4500 FT	5		↑	SCTE	ACCM		
✧	SILAS			41°37'0" S 73°6'1" W							
RNAV 5		345°	45	FL 245 4500 FT	5		↑	SCTE	ACCM		
✧	GENEK			42°21'36" S 72°58'26" W							
RNAV 5		344°	43	FL 245 FL 55	5		↑		ACCM		
✧	KAMEK			43°4'19" S 72°51'0" W							
RNAV 5		344°	20	FL 245 FL 95	5		↑		ACCM		
✧	MOSBA			43°23'53" S 72°47'31" W							
RNAV 5		340°	48	FL 245 FL 95	5		↑		ACCM		
✧	BOGAD			44°11'23" S 72°35'12" W							
RNAV 5		340°	71	FL 245 FL 95	5		↑		ACCM APP SCBA	(2)	
✧	REKOD			45°21'6" S 72°16'30" W							
RNAV 5		315°	41	FL 245 9500 FT	5		↑	SCBA	APP SCBA		
✧	BAL VOR/DME			45°54'47" S 71°42'45" W							

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCBA WI TMA SCBA
CHG:	Formato / Layout

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 128										(1)
✧	Ⓜ	TOY VOR/DME			30°16'35" S 71°28'25" W					
RNAV 5	117°	297°	20	FL 245	5	↓	↑		ACCS	
				FL 195						
✧	TITKI			30°25'30" S 71°7'47" W						
RNAV 5	117°	297°	23	FL 245	5	↓	↑		ACCS	
				FL 195						
✧	NIRNU			30°35'33" S 70°44'22" W						
RNAV 5	117°	297°	16	FL 245	5	↓	↑		ACCS	
				FL 195						
✧	VANIL			30°42'37" S 70°27'41" W						
RNAV 5	118°	298°	10	FL 245	5	↓	↑		ACCS	
				FL 195						
✧	MIBAS			30°47'0" S 70°17'30" W						

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

T 129										(1)
✧		CHI VOR/DME			36°35'11" S 72°1'58" W					
RNAV 5	125°	305°	54	FL 245	5	↓	↑		ACCS	
				FL 125						
✧				KAMUR						

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

T 130										(1)
✧ 		NIA VOR/DME		38°54'22" S 72°38'38" W						
RNAV 5	086°	266°	18	FL 245	5	↓	↑	SCQP	APP SCQP	
				5500 FT						
✧		MUBIL		38°54'56" S 72°15'8" W						
RNAV 5	086°	266°	38	FL 245	5	↓	↑		APP SCQP	
				FL 125						
✧		TESEX		38°55'52" S 71°26'1" W						

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT		COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 131										(1)
✧	ATEDA		27°31'42" S 72°26'38" W							
RNAV 5		349°	59	FL 245	5		↑		ACCO	
				FL 105						
✧	ENLOP		28°30'0" S 72°13'45" W							
RNAV 5		349°	68	FL 245	5		↑		ACCS	
				FL 105						
✧	SIBOT		29°36'55" S 71°58'41" W							
RNAV 5		349°	51	FL 245	5		↑		APP SCSE ACCS	(2)
				FL 105						
✧	XOPIR		30°26'55" S 71°47'11" W							
RNAV 5		348°	40	FL 245	5		↑		ACCS	
				FL 105						
✧	KATOS		31°6'8" S 71°38'1" W							
RNAV 5		348°	38	FL 245	5		↑		ACCS	
				FL 105						
✧	ESNOX		31°43'19" S 71°29'12" W							
RNAV 5		347°	75	FL 245	5		↑		ACCS	
				FL 105						
✧	DONTI		32°57'0" S 71°11'24" W							

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCSE MEA-FL175 / ACCS FL180-FL245
CHG:	Formato / Layout

T 132										(1)
✧ MON VOR/DME 41°25'45" S 73°5'31" W										
RNAV 5	072°	252°	25	FL 245	5	↓	↑	SCTE	ACCM	
				8500 FT						
✧ CALBU 41°21'5" S 72°32'46" W										
RNAV 5	071°	251°	32	FL 245	5	↓	↑		ACCM	(2)
				FL 145						
✧ TONAR 41°14'30" S 71°51'0" W										

RMK:	(1) GNSS o INS/IRS RQRD (2) MCL CALBU FL 100 E
CHG:	Formato / Layout

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 133										(1)
✧	LINER			33°55'32" S 70°45'8" W						
RNAV 5	170°		20	FL 245	5	↓			ACCS	
				FL 105						
✧	VANEK			34°15'19" S 70°41'16" W						
RNAV 5	169°		20	FL 245	5	↓			ACCS	(2)
				FL 155						
✧	SIROV			34°35'5" S 70°37'22" W						
RNAV 5	169°		37	FL 245	5	↓			ACCS	(3)
				FL 175						
✧	ANKON			35°12'0" S 70°30'0" W						

RMK:	(1) GNSS o INS/IRS RQRD (2) MCL VANEK FL 150 S (3) MCL SIROV FL 170 S
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧		WAYPOINT		COORDENADAS							
		Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMP //ODD	PAR// EVEN				
T 134											(1)
✧		ATEDA		27°31'42" S 72°26'38" W							
RNAV 5	184°	003°	58	FL 245	5	↓	↑		ACCO		
				FL 95							
✧		EKOSO		28°30'0" S 72°30'9" W							
RNAV 5	183°	003°	23	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		VULOX		28°53'6" S 72°31'34" W							
RNAV 5	183°	003°	48	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		VUTRA		29°40'58" S 72°34'32" W							
RNAV 5	183°	001°	183	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		PAKEN		32°44'7" S 72°46'20" W							
RNAV 5	181°	001°	22	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		NILTA		33°5'55" S 72°47'47" W							
RNAV 5	181°	360°	34	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		PUDRO		33°40'25" S 72°50'7" W							
RNAV 5	180°	360°	3	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		ESEPA		33°43'34" S 72°50'20" W							
RNAV 5	180°	359°	122	FL 245	5	↓	↑		ACCS		
				FL 95							
✧		DEXOT		35°45'21" S 72°58'50" W							
RNAV 5	179°	358°	60	FL 245	5	↓	↑	SCIE	APP SCIE		
				8500 FT							
✧		CAR VOR/DME		36°45'20" S 73°3'11" W							

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 200										(1)
✧	PUNSO			25°26'0" S 70°36'54" W						
RNAV 5		008°	61	FL 245 FL 105	5		↑		ACCI	
✧	DOVKA			26°26'47" S 70°42'13" W						
RNAV 5		007°	50	FL 245 FL 105	5		↑		ACCI	
✧	DAT VOR/DME			27°16'46" S 70°46'39" W						
RNAV 5	194°	013°	60	FL 245 7500 FT	5	↓	↑	SCAT	ACCI	
✧	UPUKU			28°15'44" S 71°0'5" W						
RNAV 5	193°	013°	60	FL 245 FL 75	5	↓	↑		ACCI	
✧	ISENO			29°14'52" S 71°13'48" W						
RNAV 5	193°	012°	28	FL 245 7500 FT	5	↓	↑	SCSE	APP SCSE ACCS	(2)
✧	TIMDA			29°42'42" S 71°20'22" W						
RNAV 5	192°	012°	35	FL 245 7500 FT	5	↓	↑	SCSE	APP SCSE ACCS	(2)
✧ (M)	TOY VOR/DME			30°16'35" S 71°28'25" W						
RNAV 5	181°	001°	15	FL 245 7500 FT	5	↓	↑	SCSE	APP SCSE ACCS	(2)
✧	DANLA			30°31'37" S 71°28'33" W						
RNAV 5	181°	360°	72	FL 245 FL 75	5	↓	↑		ACCS	
✧	ESNOX			31°43'19" S 71°29'12" W						
RNAV 5	180°	360°	32	FL 245 FL 75	5	↓	↑		ACCS	
✧	BUXIS			32°15'33" S 71°29'30" W						
RNAV 5	180°	359°	29	FL 245 7500 FT	5	↓	↑	SCVM	APP SCVM ACCS	(3)
✧	VTN VOR/DME			32°44'19" S 71°29'46" W						
RNAV 5	185°	004°	55	FL 245 5500 FT	5	↓	↑	SCVM	APP SCVM ACCS	(3)
✧	DGO VOR/DME			33°39'26" S 71°36'52" W						
RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCSE MEA-FL175 / ACCS FL180-FL245 (3) APP SCVM MEA-8000FT / ACCS 8500FT-FL245									
CHG:	Formato / Layout									

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMPAR //ODD	PAR// EVEN				
T 200 (CONTINUACIÓN)											(1)
✧	DGO VOR/DME			33°39'26" S 71°36'52" W							
RNAV 5	199°	018°	40	FL 245	5	↓	↑		APP SCVM ACCS	(3)	
				FL 45							
✧	ESOKI			34°16'58" S 71°53'44" W							
RNAV 5	198°	017°	99	FL 245	5	↓	↑		ACCS		
				FL 45							
✧	SOSTA			35°49'18" S 72°36'25" W							
RNAV 5	197°	016°	60	FL 245	5	↓	↑	SCIE	APP SCIE		
				4500 FT							
✧	CAR VOR/DME			36°45'20" S 73°3'11" W							
RNAV 5	177°	356°	61	FL 245	5	↓	↑	SCIE	APP SCIE		
				7500 FT							
✧	PANEX			37°45'59" S 73°5'35" W							

RMK:	(1) GNSS o INS/IRS RQRD (3) APP SCVM MEA-8000FT / ACCS 8500FT-FL245
CHG:	Formato / Layout

Designador de ruta // Route Designator										
✧ / ✧		WAYPOINT				COORDENADAS				
		Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory								
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 210										(1)
✧		ALDAX			18°21'0" S 72°28'20" W					
RNAV 5	138°	318°	118	FL 245	5	↓	↑		ACCI	
				FL 75						
✧		LOKIR			19°41'43" S 70°57'16" W					
RNAV 5	146°	326°	68	FL 245	5	↓	↑	SCDA	ACCI	
				7500 FT						
✧		OPLES			20°34'16" S 70°11'0" W					
RMK:		(1) GNSS o INS/IRS RQRD								
CHG:		Formato / Layout								
T 252										(1)
✧		MORMI			28°30'0" S 70°32'10" W					
RNAV 5		226°	20	FL245	5		↓		ACCS	
				FL190						
✧		BOMEG			28°44'30" S 70°47'51" W					
RNAV 5		226°	43	FL245	5		↓		ACCS	
				FL120						
✧		TEDIN			29°15'51" S 71°22'7" W					
RMK:		(1) GNSS o INS/IRS RQRD								
CHG:		Nueva AWY T-252, AWY T-234 eliminada / New AWY T-252, AWY T-234 removed								

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMP //ODD	PAR// EVEN				
T 291											(1)
✧	VAGUR			17°35'22" S 69°26'30" W							
RNAV 5	211°	031°	51	FL 245	5	↑	↓		APP SCAR		
				FL 205							
✧	ERISO			18°22'10" S 69°47'49" W							
RNAV 5	208°	027°	68	FL 245	5	↓	↑		APP SCAR		
				FL 125							
✧	LOBAG			19°25'42" S 70°12'45" W							
RNAV 5	215°	034°	38	FL 245	5	↑	↓	SCDA	ACCI		
				9500 FT							
✧	KIMUP			19°59'25" S 70°31'59" W							
RNAV 5	214°	034°	26	FL 245	5	↑	↓	SCDA	ACCI		
				9500 FT							
✧	IRULI			20°22'21" S 70°45'9" W							

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

T 295										(1)
✧		ISEKA		23°47'47" S 70°23'5" W						
RNAV 5	175°		60	FL 245	5	↓			ACCI	
				FL 125						
✧		VADIX		24°47'3" S 70°11'38" W						
RNAV 5	189°		77	FL 245	5	↓			ACCI	
				FL 105						
✧		NENAT		26°4'4" S 70°18'30" W						

RMK:	(1) GNSS o INS/IRS RQRD
CHG:	Formato / Layout

Designador de ruta // Route Designator											
✧ / ✧	WAYPOINT			COORDENADAS							
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory										
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK	
	↓	↑				IMP //ODD	PAR// EVEN				
T 315										(1)	
✧	SULNA			27°46'43" S 73°20'21" W							
RNAV 5	147°		51	FL 245	5	↓			ACCO		
				FL 95							
✧	TIVGU			28°30'0" S 72°48'41" W							
RNAV 5	147°		28	FL 245	5	↓			ACCO		
				FL 95							
✧	VULOX			28°53'6" S 72°31'34" W							
RNAV 5	147°		52	FL 245	5	↓			ACCO		
				FL 95							
✧	SIBOT			29°36'55" S 71°58'41" W							
RNAV 5	147°		48	FL 245	5	↓		SCSE	APP SCSE ACCS	(2)	
				9500 FT							
✧	TOY VOR/DME			30°16'35" S 71°28'25" W							

RMK:	(1) GNSS o INS/IRS RQRD (2) APP SCSE MEA-FL175 / ACCS FL180-FL245
CHG:	Formato / Layout

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 316										(1)
✧	IPA VOR/DME			27°9'50" S 109°24'21" W						
RNAV 10	084°	263°	60	FL 245	10	↓	↑	SCIP	APP SCIP	
				5500 FT						
✧	EROPI			27°18'47" S 108°17'47" W						
RNAV 10	094°	274°	61	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	USAVI			27°38'40" S 107°13'27" W						
RNAV 10	094°	273°	80	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	ETADI			28°4'10" S 105°47'36" W						
RNAV 10	092°	269°	318	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	KIDOX			29°32'0" S 100°0'0" W						
RNAV 10	090°	268°	268	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	VUNPA			30°36'0" S 95°0'0" W						
RNAV 10	087°	266°	262	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	EDSUK			31°25'0" S 90°0'0" W						
RNAV 10	086°	266°	259	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	NEDOM			32°3'0" S 85°0'0" W						
RNAV 10	085°	266°	256	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	SUGRO			32°27'0" S 80°0'0" W						
RNAV 10	086°	268°	254	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	OSEPI			32°42'0" S 75°0'0" W						
RNAV 10	087°	268°	101	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	VUSAL			32°44'0" S 73°0'0" W						
RNAV 10	088°	268°	12	FL 245	10	↓	↑		ACCO	
				FL 55						
✧	PAKEN			32°44'7" S 72°46'20" W						
RNAV 10	088°	269°	65	FL 245	10	↓	↑		APP SCVM ACCS	(2)
				FL 55						
✧	VTN VOR/DME			32°44'19" S 71°29'46" W						
RMK:	(1)All traffic FANS 1A must log on SCEZ for ADS-C connection. Pilots must conduct normal and routine communications with ATC via VHF and/or HF by the use of the published FREQ. In case of radio communications failures CPDLC shall be used									
	(2) APP SCVM MEA-8000FT / ACCS 8500FT-FL245									
CHG:	Formato, RMK / Layout, RMK									

Designador de ruta // Route Designator										
✧ / ✧	WAYPOINT			COORDENADAS						
	Notificación obligatoria / Notificación no obligatoria // Compulsory / Non compulsory									
NAV	TR MAG		DIST (NM)	LÍMITES VER //VER LIMITS	LL (NM)	DCL		QNH	CTLU	RMK
	↓	↑				IMPAR //ODD	PAR// EVEN			
T 797										(1)
✧	OPLES			20°34'16" S 70°11'0" W						
RNAV 5	154°	334°	5	FL 245	5	↓	↑	SCDA	ACCI	
				7500 FT						
✧	OSUVO			20°38'31" S 70°8'10" W						
RNAV 5	154°	334°	38	FL 245	5	↓	↑	SCDA	ACCI	
				8500 FT						
✧	AKNUV			21°10'47" S 69°46'32" W						
RNAV 5	096°	277°	25	FL 245	5	↓	↑		ACCI	(2)
				FL 115						
✧	VOLKA			21°10'52" S 69°19'47" W						
RNAV 5	097°	277°	33	FL 245	5	↓	↑		ACCI	(3)
				FL 165						
✧	TOKOL			21°10'53" S 68°44'9" W						
RNAV 5	063°	244°	24	FL 245	5	↓	↑		ACCI	(4)
				FL 225						
✧	ILPEM			20°57'42" S 68°23'6" W						

RMK:	(1) GNSS o INS/IRS RQRD	(4) MCL TOKOL FL 230 E
	(2) MCL AKNUV FL 120 E	
	(3) MCL VOLKA FL 150 E	
CHG:	Formato / Layout	

Dejada Intencionalmente en blanco
Intentionally left blank