

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL

LISTA DE COORDENADAS

PUNTO DE RECORRIDO (WPT)	LATITUD	LONGITUD	PUNTO DE RECORRIDO (WPT)	LATITUD	LONGITUD	PUNTO DE RECORRIDO (WPT)	LATITUD	LONGITUD
RW17L	33°22'33,89" S	70°47'12,15" W	EL059	33°29'23,25" S	70°43'49,04" W	EL401	33°55'51,84" S	70°29'10,81" W
RW17R	33°22'19,02" S	70°48'13,38" W	EL069	33°15'20,1" S	70°48'40,08" W	EL403	33°44'9,12" S	70°43'8,34" W
RW35L	33°24'22,25" S	70°48'06,77" W	EL076	33°14'42,6" S	70°48'37,38" W	EL449	32°50'6,98" S	70°31'6,12" W
RW35R	33°24'17,60" S	70°47'06,57" W	EL079	33°30'14,99" S	70°47'47,78" W	EL483	32°35'18,33" S	70°56'30,81" W
ALBAL	34°11'0" S	69°49'0" W	EL099	33°27'53,16" S	70°39'19,08" W	EL500	33°48'42,84" S	70°15'34,32" W
ANGOD	34°0'52" S	70°55'28" W	EL106	33°30'21,93" S	70°54'58,36" W	EL570	32°26'35,28" S	70°43'11,48" W
ANKES	33°35'38,84" S	70°54'41,74" W	EL129	33°9'19,31" S	70°49'59,78" W	EL680	32°36'28,97" S	70°40'40,06" W
ARUKI	33°12'0,78" S	70°51'20,51" W	EL130	33°11'47,01" S	70°53'19,07" W	EL681	32°15'22,84" S	70°57'14,94" W
ASIMO	31°53'0" S	70°19'0" W	EL134	33°28'24,05" S	70°57'9,3" W	EL790	32°7'47,97" S	70°29'36,93" W
ATTES	33°18'10,85" S	70°47'26,23" W	EL138	33°24'6,64" S	70°38'33,06" W	EL991	33°26'44,9" S	70°52'8,54" W
DABIT	32°15'5,3" S	70°50'6,85" W	EL148	33°12'37,1" S	70°55'7,29" W	EL992	33°19'40,02" S	70°46'8,34" W
DESIT	33°32'11,21" S	70°46'37,7" W	EL177	33°24'24,81" S	70°59'12,51" W	EL993	33°26'48,7" S	70°52'46,15" W
DILOK	31°56'0" S	70°38'0" W	EL179	33°31'0" S	71°2'49,82" W	EL994	33°26'48,57" S	70°52'46,06" W
DONTI	32°57'0" S	71°11'24" W	EL184	33°15'57,41" S	70°55'24,9" W	EL995	33°14'26,76" S	70°52'44,91" W
EDRIK	33°2'41,64" S	70°53'6,69" W	EL220	33°0'29,41" S	70°48'22,92" W	EL996	33°14'26,76" S	70°52'44,91" W
EL001	33°14'26,76" S	70°52'44,91" W	EL222	33°0'15,69" S	70°49'26,1" W	EL997	33°15'37,05" S	70°53'25,57" W
EL015	33°25'47,68" S	70°47'1,73" W	EL239	32°59'29,45" S	70°53'16,61" W	ENPAK	32°55'11,19" S	70°53'29,93" W
EL022	33°26'33,32" S	70°46'59,28" W	EL243	33°20'52,37" S	70°51'27,27" W	EROLO	34°39'2" S	71°24'28" W
EL023	33°24'40,14" S	70°48'5,8" W	EL250	33°49'36,31" S	70°45'33,57" W	ESKUL	33°35'20,59" S	70°46'30,88" W
EL024	33°26'37,91" S	70°47'59,53" W	EL273	33°25'24,58" S	70°56'2,2" W	GELUS	33°54'54" S	71°12'11" W
EL025	33°26'52,38" S	70°47'58,7" W	EL370	33°12'10,11" S	71°5'29,58" W	GENPO	33°35'22,81" S	70°47'31,21" W
EL035	33°27'52,43" S	70°47'55,47" W	EL382	33°3'55,47" S	70°53'10,35" W	GUVOL	32°22'30" S	70°13'30" W
EL041	33°26'24,11" S	70°48'0,21" W	EL400	33°49'5,11" S	70°27'33,95" W	ILKOS	33°15'33,52" S	70°47'34,7" W

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL

LISTA DE COORDENADAS

PUNTO DE RECORRIDO (WPT)	LATITUD	LONGITUD	PUNTO DE RECORRIDO (WPT)	LATITUD	LONGITUD	PUNTO DE RECORRIDO (WPT)	LATITUD	LONGITUD
ISILO	33°11'18,25" S	70°42'18,95" W	SAFEL	32°49'4,98" S	70°41'58,01" W	VULBI	32°18'3,05" S	70°37'0,54" W
ISOVA	33°16'58,94" S	70°48'30,55" W	SEDPA	33°11'27,26" S	70°48'48,2" W			
KADAK	33°58'11" S	71°4'28" W	SEKSU	33°28'20,96" S	70°59'9,5" W			
KIDAS	33°11'52,31" S	70°48'46,84" W	SIMOK	31°45'6" S	70°51'11" W			
KUDKA	33°16'20,51" S	70°48'32,61" W	TABON	32°55'6" S	70°50'14" W			
LINER	33°55'32" S	70°45'8" W	SUKSA	31°45'26,3" S	70°58'20,65" W			
LOBOX	33°51'54,83" S	70°56'24,83" W	TEGEB	33°11'43,64" S	70°47'47,28" W			
LOLAT	33°32'25,12" S	70°58'30,52" W	TELAG	33°41'0" S	70°56'0" W			
LOSAN	32°51'8,04" S	70°20'13,99" W	TEMUS	33°2'51,84" S	70°49'17,78" W			
MAPOC	33°33'59" S	70°52'47" W	TENUT	32°49'19" S	71°11'33" W			
MESAL	33°11'33,31" S	70°47'47,55" W	TEPIL	33°30'20,76" S	70°47'47,49" W			
MORPA	32°35'7,18" S	70°49'23,58" W	TEPOK	33°12'41,78" S	70°57'41,6" W			
NEBEG	33°48'0" S	69°54'0" W	TINGO	32°54'29,4" S	70°41'52,1" W			
NEGAG	33°17'36,36" S	70°48'28,55" W	TINPI	32°45'19,23" S	70°56'8,5" W			
NEGTA	33°13'33,41" S	70°47'41,13" W	UGOLA	32°55'9" S	70°48'40" W			
OLMUE	32°52'8" S	71°1'11" W	UKEMU	33°29'18,46" S	70°46'50,39" W			
PARKE	33°27'16" S	70°40'13" W	UMKAL	32°53'0" S	70°0'0" W			
PORMA	33°32'22,39" S	70°44'40,98" W	VAGOS	33°31'53" S	70°47'42" W			
PULKI	33°18'32,02" S	70°41'26,43" W	VTN VOR/DME	32°44'19" S	71°29'46" W			
PUMAR	33°3'9,76" S	70°48'14,36" W	WISEK	33°43'42" S	70°45'54" W			
RIBLA	32°54'24" S	70°32'23" W	VOVPO	33°26'15,64" S	70°47'6,19" W			
ROBAK	33°5'41,82" S	70°52'57,38" W	VUARI	33°11'46,26" S	70°49'22,34" W			
SABLA	33°18'50" S	71°23'59" W	VUDOG	32°45'8,1" S	70°49'1,83" W			

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL STAR 8

PROCEDIMIENTOS DE LLEGADA RNAV / RNAV ARRIVAL PROCEDURES									
(Esta información complementa a las cartillas publicadas en la AIP Chile VOL II / This information complements the charts published in the AIP Chile VOL II)									
STAR 8 RWY 17R EROLO 7F									
NR SERIE	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VELOCIDAD	NAV
10	IF	EROLO	-	-	-	-	FL100+	-	RNAV 1 ó RNP 1
20	TF	KADAK	-	021° (022,20)	44,02	-	10000 FT+	-	
30	TF	EL370	-	358° (358,93)	45,93	-	10000 FT+	-	
40	TF	OLMUE	-	009° (010,29)	20,32	-	9500 FT+	-230KIAS	
50	TF	TABON	-	107° (107,85)	9,68	RT	8000 FT+	-	
60	TF	EL222	-	172° (172,57)	5,2	-	7000 FT+	-	
70	TF	TEMUS	-	177° (177,43)	2,6	-	6500 FT+	-	
STAR 8 RWY 17L EROLO 7F									
NR SERIE	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VELOCIDAD	NAV
10	IF	EROLO	-	-	-	-	FL100+	-	RNAV 1 ó RNP 1
20	TF	KADAK	-	021° (022,20)	44,02	-	10000 FT+	-	
30	TF	EL370	-	358° (358,93)	45,93	-	10000 FT+	-	
40	TF	OLMUE	-	009° (010,29)	20,32	-	9500 FT+	-230KIAS	
50	TF	UGOLA	-	105° (106,00)	10,96	RT	8000 FT+	-	
60	TF	EL220	-	177° (177,43)	5,34	-	7000 FT+	-	
70	TF	PUMAR	-	177° (177,43)	2,67	-	6500 FT+	-	

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL STAR 8

STAR 8 RWY 17R VENTANAS 1D									
NR SERIE	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VELOCIDAD	NAV
10	IF	VTN VOR/DME	-	-	-	-	9500 FT+	-	RNAV 1 ó RNP 1
20	TF	TENUT	-	107° (108,08)	16,15	-	9500 FT+	-	
30	TF	OLMUE	-	107° (107,89)	9,17	-	9500 FT+	-230KIAS	
40	TF	TABON	-	107° (107,85)	9,68	-	8000 FT+	-	
50	TF	EL222	-	172° (172,57)	5,2	-	7000 FT+	-	
60	TF	TEMUS	-	177° (177,43)	2,6	-	6500 FT+	-	
STAR 8 RWY 17L VENTANAS 1D									
NR SERIE	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VELOCIDAD	NAV
10	IF	VTN VOR/DME	-	-	-	-	9500 FT+	-	RNAV 1 ó RNP 1
20	TF	TENUT	-	107° (108,08)	16,15	-	9500 FT+	-	
30	TF	OLMUE	-	107° (107,89)	9,17	-	9500 FT+	-230KIAS	
40	TF	UGOLA	-	105° (106,00)	10,96	-	8000 FT+	-	
50	TF	EL220	-	177° (177,43)	5,34	-	7000 FT+	-	
60	TF	PUMAR	-	177° (177,43)	2,67	-	6500 FT+	-	

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL STAR 11

PROCEDIMIENTOS DE LLEGADA RNAV / RNAV ARRIVAL PROCEDURES

(Esta información complementa a las cartillas publicadas en la AIP Chile VOL II / This information complements the charts published in the AIP Chile VOL II)

STAR 11 RWY 17R SUKSA 2A

NR SERIE	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VELOCIDAD	NAV
10	IF	SUKSA	-	-	-	-	FL160+	-	RNAV 1 ó RNP 1
20	TF	EL681	-	177° (178,22)	29,89	-	FL160+	@280 KIAS	
30	TF	EL483	-	177° (178,21)	19,89	-	FL120+	-	
40	TF	TINPI	-	177° (178,20)	10	-	10000 FT+	@230 KIAS	
50	TF	ENPAK	-	166° (167,27)	10,1	-	8300 FT+	-	
60	TF	EL239	-	177° (177,51)	4,3	-	7500 FT+	-	
70	TF	EDRIK	-	177° (177,51)	3,2	-	6700 FT+	-	

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL IAC 12

PROCEDIMIENTOS DE APROXIMACIÓN RNP / RNP APPROACH PROCEDURES

(Esta información complementa a las cartillas publicadas en la AIP Chile VOL II / This information complements the charts published in the AIP Chile VOL II)

IAC 12 RNP Z RWY 17R

NR SERIE	TRANS ID	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VEL	VPA	TCH	NAV
10		TF	(IF) VUARI	-	-	-	-	4700 FT+	-180 KIAS	-	-	1
15		TF	EL076	-	167° (167,91)	3	-	4000 FT+	-	-	-	1
20		TF	(FAF) KUDKA	-	177° (177,66)	1,63	-	3500 FT+	-	-	-	1
30		TF	(MAPt) RW17R	Y	177° (177,42)	5,97	-	1601 FT+	-	3,0°	50 FT	0,3
40		TF	EL041	-	177° (177,42)	4,08	-	-	-	-	-	1
50		TF	EL079	-	177° (177,42)	3,84	-	-	-	-	-	1
60		TF	GENPO	-	177° (177,42)	5,13	-	-	-	-	-	1
70		TF	(MAHF) TELAG	Y	231° (231,57)	9,03	RT	6000 FT+	-	-	-	1
80		HM	(MAHF) TELAG	-	086° (086,57)	5	LT	6000 FT+	-	-	-	1
10	EDRIK	IF	(IAF) EDRIK	-	-	-	-	6700 FT+	-	-	-	1
20	EDRIK	TF	ROBAK	-	177° (177,51)	3	-	6000 FT+	-200 KIAS	-	-	1
30	EDRIK	TF	EL129	-	145° (145,52)	4,39	-	5200 FT+	-	-	-	1
40	EDRIK	TF	(IF) VUARI	-	167° (167,91)	2,5	-	4700 FT+	-180 KIAS	-	-	1

SANTIAGO / AP ARTURO MERINO BENITEZ - SCEL IAC 17

PROCEDIMIENTOS DE APROXIMACIÓN RNP / RNP APPROACH PROCEDURES

(Esta información complementa a las cartillas publicadas en la AIP Chile VOL II / This information complements the charts published in the AIP Chile VOL II)

IAC 17 RNP X RWY 17R (AR)

NR SERIE	TRANS ID	PATH TERM	PUNTO DE RECORRIDO (WPT)	FO	COURSE/TRACK °M/T	DIST (NM)	TURN	ALTITUD	REST VEL	VPA	TCH	NAV
10		TF	(IF) VUARI	-	-	-	-	4700 FT+	-180 KIAS	-	-	0,3
15		TF	EL076	-	167° (167,91)	3	-	4000 FT+	-	-	-	0,3
20		TF	(FAP) NEGAG	-	177° (177,56)	2,89	-	3100 FT+	-	-	-	0,3
30		TF	(MAPt) RW17R	Y	177° (177,42)	4,71	-	1601 FT+	-	3,0°	50 FT	0,3/0,15
40		TF	EL041	-	177° (177,42)	4,08	-	-	-	-	-	0,3
50		TF	EL079	-	177° (177,42)	3,84	-	-	-	-	-	0,5
60		TF	GENPO	-	177° (177,42)	5,13	-	-	-	-	-	1
70		TF	(MAHF) TELAG	Y	231° (231,57)	9,03	RT	6000 FT+	-	-	-	1
80		HM	(MAHF) TELAG	-	086° (086,57)	5	LT	6000 FT+	-	-	-	1
10	EDRIK	IF	(IAF) EDRIK	-	-	-	-	6700 FT+	-	-	-	1
20	EDRIK	TF	ROBAK	-	177° (177,51)	3	-	6000 FT+	-200 KIAS	-	-	0,3
30	EDRIK	TF	EL129	-	145° (145,52)	4,39	-	5200 FT+	-	-	-	0,3
40	EDRIK	TF	(IF) VUARI	-	167° (167,91)	2,5	-	4700 FT+	-180 KIAS	-	-	0,3